

## Movincool

### Mobile Spot Cooler 4.4kW Movincool SF15



Why cool the whole building when you can cool the area most affected by heat? This approach saves on costs and power usage.

Installation takes minutes.

Dimensions (l x w x h)	mm	670 x 490 x 1045
Weight	Kg	76
Air connections	-	10" (5m) & 6" twin ducts
Air flow	m <sup>3</sup> /hr	800
Current consumption	Amps	8.2
Power supply	-	230/1/50 (1.5mm <sup>2</sup> )
Max power absorbed	kW	1.7
Power connections	-	13 amp standard plug
Power sound level	dBa	64@ 10m (max fan speed)
Nominal cooling duty	kW	4.4 @ 22° C in 28° C ambient

### Features

This single fan SPOT COOLER with large volume air movement of 800m<sup>3</sup>/hr is ideally suited to cool server rooms, production areas and workplaces.

The Cool Energy SF15 unit has been designed for a fast rental installation and start up.


The unit operates from a standard 13amp single-phase supply and has a single 10" heat rejection hose.

In addition to this, the unit is entirely portable and has castors with brakes. This allows for easy movement when cleaning around this lightweight unit.

### Benefits

The 4.4kW spot cooler (15,200 Btu/hr) is a freestanding unit and can direct cold air to specific areas by utilising the twin adjustable air ducts situated in the front of the unit.

The unit is capable of spot cooling electrical cabinets, personnel in bakery areas, computer suits, server rooms and packaging halls where localised cooling is required.



Call us free on 0800 840 4210 or visit our website [www.coolenergy.co.uk](http://www.coolenergy.co.uk)

Equipment designed to ISO 9001 and all relevant directives. Product improvement is a continual process at Cool Energy and we reserve the right to change the design and specifications without notice or obligation. Availability is subject to change without notice. Contact your local Cool Energy depot for availability. © 2009 Cool Energy. All rights reserved.